



www.bex.co.kr

# Material Safety Data Sheet

(Under Article 41 of the Occupational Safety and Health Act provisions in the written data)

Applies to: the manufacturer of this product, customers, distributors, dealers, transporters, handlers, and administrators

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

- 1) Trade name BW-100 AREOSOL CAN
- 2) Relevant identified uses of the substance or mixture and uses advised against
- |                              |                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------|
| Application of the substance | Electric and electronic parts cleaning agent. Precision instrument cleaner. Semiconductor Cleaner |
| Restriction of the substance | Don't use for other purposes.                                                                     |
- 3) Details of the supplier of the safety data sheet
- |                         |                                                                               |
|-------------------------|-------------------------------------------------------------------------------|
| Manufacture/supplier    | BEX Inter corporation Ltd.<br>7-15, Baumoe-ro 27-gil, Seocho-gu, Seoul, KOREA |
| Emergency telephone/fax | During normal opening times: TEL: +82-2-571-4040, FAX: +82-2-575-1336         |
| Department              | Marketing Department                                                          |
| E-mail                  | <a href="mailto:js8456@buhmwoo.com">js8456@buhmwoo.com</a>                    |

## SECTION 2. HAZARDS IDENTIFICATION

- 1) CLASSIFICATION High-pressure gas, Compressed gas  
Serious eye damage or irritation: Category 2  
Harmful to aquatic life with long lasting effects : Category 3

- 2) LABEL  
Symbol



Signal Word



Warning

H280  
H319  
H412

Hazard Statements H280 Contains gas under pressure; may explode if heated  
H319 Causes serious eye irritation  
H412 Harmful to aquatic life with long lasting effects

### Precautionary Statements

- |            |                                                                                                                                                    |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Prevention | P264 Wash skin thoroughly after handling.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves and eye / face protection.      |
| Response   | P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.<br>Remove contact lenses if present and easy to do – continue rinsing              |
| Storage    | P337+313 If eye irritation persist: Get medical advice / attention.                                                                                |
| Disposal   | P410+P403 Protect from sunlight. Store in a well-ventilated place.<br>P501 Dispose of contents and container in accordance with local regulations. |

### 3) OTHER HAZARD INFORMATION

Name	NFPA Code	HEALTH HAZARD	FIRE HAZARD	REACTIVITY
trans-1-Chloro-3,3,3-trifluoropropene		2	0	0
2,2,3,3,4,4,5 Heptafluorotetrahydro 5(nonafluorobutyl) furan		0	0	0
ISOPROPYL ALCOHOLHexadecafluoroheptane		0	0	0



NITROGEN	0	0	0
----------	---	---	---

### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Name	Other Name	CAS#	Concentration (%)
trans-1-Chloro-3,3,3-trifluoropropene	HFO-1233zd	102687-65-0	70 ~ 80
2,2,3,3,4,4,5 Heptafluorotetrahydro 5(nonafluorobutyl) furan		335-36-4	5 ~ 10
Hexadecafluoroheptane	Perfluoroheptane	335-57-9	15 ~ 20
Nitrogen		7727-37-9	2 ~ 3

### SECTION 4. FIRST AID MEASURES

- 1) EYE CONTACT      Flush with plenty of water to the bottom of the eyelids for at least 15 minutes.  
Call a physician if irritation develops or if irritation persists.
- 2) SKIN CONTACT      In case of contact with skin, rinse immediately with plenty of water.  
Wash skin with soap and water.  
Avoid dispersal of the contaminated material in the presence of minor skin contact.  
If symptoms persist, call a physician.  
Remove all contaminated clothing immediately  
Wash contaminated clothing before reuse.
- 3) INHALATION      Get emergency medical attention.  
Keep it warm and stable.  
Move to fresh air.  
If not breathing, give artificial respiration.  
If you have difficulty breathing, supply oxygen.  
If you have a qualified worker, you can use oxygen if necessary.
- 4) INGESTION      Get emergency medical attention.  
If the patient is conscious, let him drink a cup of water.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to a person who has lost consciousness.  
Get medical attention immediately.
- 5) NOTE TO PHYSICIAN      Understand material and treat appropriately.  
IF exposed or concerned : Get medical advice/attention.

### SECTION 5. FIRE FIGHTING MEASURES

- 1) EXTINGUISHING MEDIA : Non-flammable  
Appropriate Extinguishing Media :      Water, Carbon dioxide, General foam  
Inappropriate Extinguishing Media :  
In case of large fire :      Use regular extinguishing media.
- 2) SPECIFIC HAZARDS ARISING FROM THE CHEMICAL  
This product is not subject to fire at room temperature and normal atmospheric pressure. However, this material may ignite when mixed with compressed air or exposed to a strong source of ignition. If heated, the container may burst.  
Cool closed containers exposed to fire with water spray.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapors are heavier than air and may cause suffocation.  
Exposure to decomposition products may be harmful to your health.  
Hydrogen fluoride  
Gaseous Hydrogen Chloride(HCl)  
Carbon monoxide(CO)  
Carbon dioxide(CO<sub>2</sub>)



### 3) FIRE FIGHTING INSTRUCTIONS

In the event of fire or explosion, do not breathe fumes.  
Wear self-contained breathing apparatus and protective clothing.  
Wrap it completely to prevent skin exposure.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

### 1) PROTECTIVE MEASURES

Evacuate persons from spill or leaky materials in a windy direction.  
Wear personal protective equipment. Prohibit access if you are not wearing protective equipment.  
Remove all sources of ignition.  
Let the ventilation.  
Vapors are heavier than air, so reducing oxygen required for breathing may cause suffocation.  
Avoid accumulation of steam in low places.  
Persons not wearing protective equipment should not be allowed to test the air until they are safe.  
Make sure the oxygen content is less than 19.5%.

### 2) ENVIRONMENTAL PRECAUTIONS

It should not be released into the environment.  
Do not discharge into surface water or sewage treatment facilities.  
If safe, make sure there are no more leaks or spills.  
Avoid spreading to large areas.

### 3) METHOD AND MATERIAL FOR CONTAINMENT AND CLEAN

Collect spillage with non-combustible absorbent material (sand, earth, diatomaceous earth, vermiculite, etc.) and dispose in accordance with local / regional regulations (see section 13).

---

## SECTION 7. HANDLING AND STORAGE

---

### 1) PRECAUTIONS FOR SAFE HANDLING

Handle with care.  
Do not use where there is no adequate ventilation.  
Do not inhale steam or spray mist.  
Avoid exposure to sunlight and temperatures above 40°C.  
Do not puncture, drop, or expose to flames or excessive heat.  
Avoid contact with skin or eye. Do not rupture or burn after use.  
Do not spray flames or incandescent material.  
You can create flammable materials that mix with air at pressures higher than atmospheric pressure.  
Keep product and empty containers away from heat and sources of ignition.

### 2) CONDITIONS FOR SAFE STORAGE

Avoid exposure to sunlight and temperatures above 40°C. Also, do not open or burn after use.  
Keep container tightly closed and dry. Store in a cool, well-ventilated place.  
Ensure adequate ventilation, especially in confined areas.  
Protect the container from damage.  
Store away from sources of mixed hazard.

---

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### 1) EXPOSURE LIMIT VALUES

#### 1) trans-1-Chloro-3,3,3-trifluoropropene

DOMESTIC REGULATION	TWA : 800ppm
ACGIH	TWA : 800ppm
BIOLOGICAL LIMITS	No limit

#### 2) 2,2,3,3,4,4,5 Heptafluorotetrahydro 5(nonafluorobutyl) furan

DOMESTIC REGULATION	Not determined
ACGIH	Not determined
BIOLOGICAL LIMITS	No limit

3) Hexadecafluoroheptane	
DOMESTIC REGULATION	Not determined
ACGIH	Not determined
BIOLOGICAL LIMITS	Not determined
4) Nitrogen	
DOMESTIC REGULATION	Not determined
ACGIH	Not determined
BIOLOGICAL LIMITS	Not determined

## 2) ENGINEERING CONTROLS

Install a local ventilation system or ventilation system on process.  
Charging should only be carried out in the area where there is exhaust ventilation.

## 3) PERSONAL PROTECTION

Respiratory Protection	If ventilation is inadequate, wear suitable respiratory equipment. Wear positive pressure air respirator. Use self-contained breathing apparatus for rescue operations and maintenance in storage tanks. Use a NOISH approved respirator.
Eye Protection	Do not wear contact lenses. Wear it properly. Wear safety goggles or face shields to protect your eyes.
Hand Protection	Wear impervious gloves. Gloves should be inspected before wearing. Replace if worn.
Skin and Body Protection	Use as appropriate: Solvent resistant gloves, solvent resistant aprons and boots. If you are touched, do the following: protection suit
Precaution	Keep eye wash and safety showers close to the work area. Do not inhale steam or spray mist. Avoid contact with skin, eyes and clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

1) Appearance	Colorless liquid
2) Odour	Slightly
3) Odour threshold	Not determined
4) pH-value(3%)	Not applicable
5) Melting point	-90°C(an undiluted solution)
6) Initial boiling point/boiling range	19°C / 19°C ~ 115°C(an undiluted solution)
7) Flash point	Not applicable (ISO 2719)
8) Evaporation rate	0.9
9) Flammability (Solid, Gas)	Not applicable
10) Inginition or Explosion limits	This product is non-combustible.
11) Vapour pressure	1,516 hPa(30°C)
12) Solubility in water	1.9 g/L H <sub>2</sub> O(25°C)
13) Vapour density	Attention : (AIR = 1), Not determined
14) Specific gravity (25°C)	1.38(25°C)

15) N-Octanol/Water Distribution Coeff.	log Pow : 2.2(25°C)
16) Self ignition temperature	Not determined
17) Decomposition temperature	Not determined
18) Viscosity (mm <sup>2</sup> /s, 38°C)	Not determined
19) Molecular weight	Not determined for compound

---

## SECTION 10. STABILITY AND REACTIVITY

---

### 1) STABILITY

### 2) CONDITIONS TO AVOID

Polymerization may occur.

### 3) MATERIALS TO AVOID

Protection from heat / overheating

Please keep away from direct sunlight.

Heat flame and spark

Do not mix with oxygen or higher than atmospheric pressure.

### 4) HAZARDOUS DECOMPOSITION PRODUCTS

In case of fire, the following harmful decomposition products may be generated.

Carbon monoxide, Carbon dioxide, Halogenated carbonyl, Gaseous hydrogen chloride,

Gaseous hydrogen fluoride

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

※ Product toxicity data is not exist. Each ingredient data is filled as substitute.

### 1) INFORMATION ON THE LIKELY ROUTES OF EXPOSURE

Respiratory	Stimulation
Ingestion	Stimulation
Skin	Stimulation, Statue Concern
Eye	Stimulation

### 2) HEALTH HAZARDS

\* Assort component 1, 2 as written below because chemical names are too long.

Component 1.	trans-1-Chloro-3,3,3-trifluoropropene
Component 2.	2,2,3,3,4,4,5 Heptafluorotetrahydro 5(nonafluorobutyl) furan
Component 3.	Hexadecafluoroheptane
Component 4.	Nitrogen

Acute toxicity	Oral	ATEmix	Not determined
		Comp.1	Not determined
		Comp.2	Not determined
		Comp.3	Not determined
	Percutaneous	Comp.4	Not determined
		ATEmix	Not determined
		Comp.1	Not determined
		Comp.2	LD50>2,000 mg/kg(RAT)
		Comp.3	Not determined
		Comp.4	Not determined

Inhale	ATEmix	114,162 ppm
	Comp.1	LD50 : 120,000 ppm(4hr, Mouse)
	Comp.2	LC50 > 31,660 ppm(RAT)
	Comp.3	LD50 : 215,000 mg/kg(Mouse)
	Comp.4	Not determined
Skin corrosive or irritation	Comp.1	Not classified as a skin irritant (Rabbit, OECD Test Guideline 404, 4hr)
	Comp.2	Causes skin irritation
	Comp.3	Causes skin irritation
	Comp.4	Skin, Eye and respiratory Irritations: Contact with liquid may cause frostbite & severe skin burns.
Serious eye damage or irritation	Comp.1	Not determined
	Comp.2	MLD/MOD = 1.000(estimation), With stimulation
	Comp.3	Prob. Of SEV Ocular Irritancy = 0.000
	Comp.4	Skin, Eye and respiratory Irritations: Contact with liquid may cause frostbite & severe skin burns.
Respiratory sensitization	Comp.1	Rat, Inhalation, 4 Weeks, NOEL: 4500 ppm, Note: Subacute toxicity
	Comp.2	No known symptoms
	Comp.3	No known symptoms
	Comp.4	Not determined
Skin sensitization	Comp.1	Does not cause skin irritation
	Comp.2	No known symptoms
	Comp.3	No known symptoms
	Comp.4	Not determined
Germ cell mutagenicity	Comp.1	Negative(salmonella, mouse, rat)
	Comp.2	Not applicable
	Comp.3	Not applicable
	Comp.4	Not determined
Carcinogenicity	Comp.1	Not applicable(IARC)
	Comp.2	Not applicable(IARC)
	Comp.3	Not applicable(IARC)
	Comp.4	Not determined
Reproductive toxicity	Comp.1	Maximal disincentive capacity (rabbit-15,000ppm, mouse -10,000ppm)
	Comp.2	Not applicable
	Comp.3	Not applicable
	Comp.4	Not determined
Target organ toxicity Single exposure	Comp.1	Not determined
	Comp.2	Not applicable
	Comp.3	Not applicable
	Comp.4	Not determined
Repeated exposure	Comp.1	NOEL, Maximal disincentive capacity : 4,500 ppm, subacute toxicity (4 weeks, mouse, when inhaled)
	Comp.2	Not determined
	Comp.3	Not determined
	Comp.4	Not determined
Aspiration toxicity	Not determined	

---

## SECTION 12. ECOLOGICAL INFORMATION

---

\* Assort component 1, 2 as written below because chemical names are too long.

Component 1. trans-1-Chloro-3,3,3-trifluoropropene  
Component 2. 2,2,3,3,4,4,5 Heptafluorotetrahydro 5(nonafluorobutyl) furan  
Component 3. Hexadecafluoroheptane  
Component 4. Nitrogen

1) ECOTOXICITY	Comp.1	Toxicity to fish : LC50: 38 mg/L (Oncorhynchus mykiss (rainbow trout), 96h) Daphnia / Aquatic invertebrates : EC50: 82 mg/L(Daphnia magna (Water flea), 48h) Algae(growth inhibition) : EC50: 106.7 mg/L (Pseudokirchneriella subcapitata (green algae), 72h)
	Comp.2	Not applicable
	Comp.3	Not applicable
	Comp.4	Not determined
2) PERSISTENCE AND DEGRADABILITY	Comp.1	Not determined
	Comp.2	Not applicable
	Comp.3	Not applicable
	Comp.4	log Kow : 0.67
3) BIOACCUMULATION		
Bioaccumulation	Comp.1	Not determined
	Comp.2	log Pow > 3
	Comp.3	log Pow > 3
	Comp.4	Not determined
Biodegradation	Comp.1	Not biodegradable(0%)
	Comp.2	Not determined
	Comp.3	Not determined
	Comp.4	Not determined
4) MOBILITY	Comp.1	Not determined
	Comp.2	Not determined
	Comp.3	Not determined
	Comp.4	Not determined
5) OTHER ECOLOGICAL INFORMATION	Not determined	

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

Disposal recommendations based on material as supplied.

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Avoid direct contact when discarded.

---

## SECTION 14. TRANSPORT INFORMATION

---

1) UN NUMBER (UN NO.) UN 1950

2) PROPER SHIPPING NAME	AREOSOLS
3) HAZARD CLASS	2.2
4) PACKING GROUP	Not applicable
5) MARINE POLLUTANT	no
6) EMS NUMBER	F-D, S-U

---

## SECTION 15. REGULATORY INFORMATION

---

1) KOREA OCCUPATION SAFETY AND HEALTH ACTS	Not applicable
2) TCCA	Not applicable
3) DANGEROUS GOODS SAFETY MANAGEMENT ACTS	Not applicable
4) WASTE MANAGEMENT ACTS	Not determined
5) OTHER NATIONAL AND FOREIGN LAW	
National law	Not determined
Foreign law	Not determined

---

## SECTION 16. OTHER INFORMATION

---

1) SOURCE OF DATA	Buhmwoo Institute of Technology Research(Raw materials MSDS of supplier) Korea Occupational Safety and Health Agency Occupation Safety and Health Acts Wastes Control Act (ACT NO.4363) Toxic Chemicals Control Act Safety Control of Dangerous Substances Act
2) FIRST ISSUE DATE	2018. 07. 05.
3) REVISION NO./FINAL REVISION DATE	
Revision No.	0
Revision Date	
4) OTHER INFORMATION	

Comments listed in this MSDS is written based on our suppliers of raw materials and materials, and industrial Safety and Health Act to be up-to-date information, at this point I believe. However, the risk of hazardous substances is not written to all the risks of hazardous substances exist there may be unknown hazards of all chemicals in this material may be prescribed. Precautions carefully review this information, and our customers and potential customers, he should take a look, and need to check conformance with applicable laws and regulations relating to the use and disposal of this product. Be created only for the purpose of describing the product operator of health, safety and environmental requirements to ensure that the specific nature of the product, this material should be understood. Of this product in the actual our control, as it is impossible to take any responsibility for the result of the use of this material, can not be assumed that, in the final conformity assessment, please understand that only the user is responsible. Normal handling this material, so if special handling, use, and usage suitable for establishing safety measures must be. This material can be revised based on the new information, please see the instruction manual attached to the packaging of this product before using the product specification (the catalog) and also.